



A “hideaway” is mounted within the podium, which contains an AC power outlet, network jack, VGA port, and an audio port for laptop connection. Cables for laptop connection are available from Instructional Technology Support Services.

Two USB ports are also provided for USB access to the station’s computer.

Press firmly on the “Press HERE to Open & Close” label to release the hideaway from the storage position.



This is what the hideaway looks like in the open position.

NOTE: You may close the hideaway by pushing down on the “Press HERE to Open & Close” label. Push the hideaway down until it is recessed and you hear a clicking sound, which indicates the hideaway is latched in the storage position.



An AC Outlet is available to provide power to your laptop computer.

WARNING: Do not plug high amperage devices into this outlet.



A network jack is available for access to the Columbia State Community College network and the Internet.

Plug one end of a network cable into the hideaway's jack and the other end into your laptop computer.



Laptop users may display video on the projection screen by plugging one end of a VGA cable into the hideaway's VGA port and the other end into the VGA port of the laptop computer. Press the LAPTOP button on the projector switcher to display the video.

TIP: Press AUTO IMAGE on the projector switcher if your laptop video appears “cut off” around the edges.

Additionally, an audio port is provided to play sound from a laptop computer. Plug one end of an audio cable into the hideaway's audio port and the other end into the computer's headphone jack. Turn the VOLUME knob on the projector switcher to adjust the level of sound desired.



Two USB ports are provided for convenient access to the station's computer.

Plug your USB memory stick or other USB device into either port.



This is a picture of the projector switcher referred to above.